


Temporary Horizontal Life Line (Rope with Hook & Tensioner)


Quick, Safe & Easy



Insert rope into tensioner and pull rope to tension.



Press down on the teeth profile to release rope.



Advantages:

- ✓ Product of Japan.
- ✓ Quick & easy to install. Less risk for installer.
- ✓ Setsco tested.
- ✓ High productivity. Required one man operation.
- ✓ Weather resistance & lightweight.
- ✓ Highly visible YELLOW colour.
- ✓ Simple tensioning system ensure correct tension of the temporary horizontal lifeline.
- ✓ Tensioner is self-adjusting, no special tools required.
- ✓ No cutting required. Available in 6m, 8m, 10m, 15m, 20m, 25m & 30m.
- ✓ Less prone to cut hazard (Zero sharp edges).
- ✓ Re-usable with minimum damaged.

規格寸法		
長さ (m)	寸法色別	重量 (kg)
6	●	1.2
8	●	1.5
10	●	1.8
15	●	2.6
20	●	3.4
25	○	4.0
30	●	4.7



Infinity Safety Products Pte Ltd

155 Kallang Way #02-05 Singapore 349244
Mobile: 92228828 Don Boon
Email: isp.infinity@gmail.com

Comparing Different Types of Lifelines Commonly Used in S'pore



- ❖ Easy to Handle with less components ;
- ❖ Do not corrode;
- ❖ Quick to install;
- ❖ Higher visibility;
- ❖ Uses different length of rope;
- ❖ Easy to install without any difficulty.



- ❖ Many components & heavy.



- ❖ It will rusted when exposed to weather.




- ❖ Time taxing to install & longer time means higher risk for installer.
- ❖ Low visibility



- ❖ Time consuming requires to cut.



- ❖ Sharp edges prone to laceration.



- ❖ Not able to achieve correct PE Design during installation.



Infinity Safety Products Pte Ltd

155 Kallang Way #02-05 Singapore 349244
Mobile: 92228828 Don Boon
Email: isp.infinity@gmail.com

Comparing Different Types of Lifelines Commonly Used in S'pore



- ❖ Easy to Handle;
- ❖ Quick to install;
- ❖ Higher visibility;
- ❖ Rope was tested;
- ❖ Uses different length of rope;



- ❖ Cannot achieved tension of rope.



- ❖ Cannot achieved correct knots.



- ❖ Rope not tested.



- ❖ Time taxing to install & longer time means higher risk for installer.
- ❖ Low visibility



Infinity Safety Products Pte Ltd

155 Kallang Way #02-05 Singapore 349244
Mobile: 92228828 Don Boon
Email: isp.infinity@gmail.com